


IN THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in this application.

Listing of the Claims:

Claim 1 (**currently amended**): A compound of the Formula I



wherein

m is 0, 1 or 2;

R¹ is halogeno, hydroxy, cyano, trifluoromethyl, trifluoromethoxy, (1-6C)alkyl, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphinyl, (1-6C)alkylsulphonyl, hydroxy-(2-6C)alkoxy, amino-(2-6C)alkoxy, cyano-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(2-6C)alkoxy, (1-6C)alkoxy-(2-6C)alkoxy, carbamoyl-(1-6C)alkoxy, N-(1-6C)alkylcarbamoyl-(1-6C)alkoxy, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl, di[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl-(1-6C)alkyl, hydroxy-(2-6C)alkylamino, cyano-(2-6C)alkylamino, halogeno-(2-6C)alkylamino, amino-(2-6C)alkylamino, (1-6C)alkoxy-(2-6C)alkylamino, (1-6C)alkylamino-(2-6C)alkylamino, di-[(1-6C)alkyl]amino-(2-6C)alkylamino, heteroaryl, heteroaryl-(1-6C)alkyl, heteroaryloxy, heteroaryl-(1-6C)alkoxy, heteroarylamino, heterocyclyl, heterocyclyl-(1-6C)alkyl, heterocyclyoxy, heterocyclyl-(1-6C)alkoxy or heterocyclylamino,

and wherein any ~~aryl~~, heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, carboxy, (1-6C)alkoxycarbonyl, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-

6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, cyano-(1-6C)alkyl, carboxy-(1-6C)alkyl, amino-(1-6C)alkyl, (1-6C)alkylamino-(1-6C)alkyl and di-[(1-6C)alkyl]amino-(1-6C)alkyl, and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, amino, trifluoromethyl, trifluoromethoxy, oxo, carboxy, carbamoyl, acetamido, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (3-6C)cycloalkoxy, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, halogeno-(1-6C)alkyl, (1-6C)alkoxy-(2-6C)alkoxy, (1-6C)alkoxycarbonyl, carbamoyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (1-6C)sulphonyl, (1-6C)sulphamoyl, heteroaryl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy, and wherein any heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 oxo or thioxo substituents;

and wherein any heteroaryl in a R¹ substituent is an aromatic 5- or 6-membered monocyclic ring, a 9- or 10-membered bicyclic ring or a 13- or 14-membered tricyclic ring each with up to five ring heteroatoms selected from oxygen, nitrogen and sulphur;

and wherein any heterocyclyl in a R¹ substituent is a non-aromatic saturated or partially saturated 3- to 10-membered monocyclic or bicyclic ring or a 5- to 7-membered monocyclic ring each with up to five heteroatoms selected from oxygen, nitrogen and sulphur;

R² is halogeno, trifluoromethyl or (1-6C)alkyl;

R³ is hydrogen, halogeno or (1-6C)alkyl; and

R⁴ is (3-6C)cycloalkyl, and R⁴ may be optionally substituted by one or more substituents selected from halogeno, hydroxy, amino, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (1-6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino;

or a pharmaceutically-acceptable salt thereof.

Claim 2 (previously presented): The compound according to claim 1 wherein

R¹ is halogeno, hydroxy, cyano, trifluoromethyl, trifluoromethoxy, (1-6C)alkyl, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphonyl, hydroxy-(2-6C)alkoxy, amino-(2-6C)alkoxy, cyano-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(2-6C)alkoxy, (1-6C)alkoxy-(2-6C)alkoxy, di[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-(1-6C)alkyl, heteroaryl-(1-6C)alkyl, heteroaryl-(1-6C)alkoxy, heterocyclyl, heterocyclyl-(1-6C)alkyl, heterocyclyloxy or heterocyclyl-(1-6C)alkoxy,
and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, (1-6C)alkoxycarbonyl, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl and cyano-(1-6C)alkyl,
and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, trifluoromethyl, oxo (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, halogeno-(1-6C)alkyl, (1-6C)alkoxycarbonyl, heteroaryl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy,
and wherein any heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 oxo or thioxo substituents;
or a pharmaceutically-acceptable salt thereof.

Claim 3 (previously presented): A compound according to claim 1 or claim 2 wherein R¹ is halogeno, hydroxy, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphonyl, amino-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(2-6C)alkoxy, di[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-

(1-6C)alkyl, heteroaryl-(1-6C)alkyl, heterocyclyl, heterocyclyloxy or heterocyclyl-(1-6C)alkoxy,
and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbonyl, N,N-di-[(1-6C)alkyl]carbonyl, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl and cyano-(1-6C)alkyl,
and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, trifluoromethyl, (1-6C)alkyl, (3-6C)cycloalkyl, (1-6C)alkoxy, di-[(1-6C)alkyl]amino, (1-6C)alkoxy-(1-6C)alkyl, (1-6C)alkoxycarbonyl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy;
or a pharmaceutically-acceptable salt thereof.

Claim 4 (**previously presented**): The compound according to claim 1 wherein m is 1 or 2; or a pharmaceutically-acceptable salt thereof.

Claim 5 (**previously presented**): The compound according to claim 1 wherein R² is (1-6C)alkyl; or a pharmaceutically-acceptable salt thereof.

Claim 6 (**previously presented**): The compound according to claim 1 wherein R² is methyl; or a pharmaceutically-acceptable salt thereof.

Claim 7 (**previously presented**): The compound according to claim 1 wherein R³ is hydrogen; or a pharmaceutically-acceptable salt thereof.

Claim 8 (**previously presented**): The compound according to claim 1 wherein R⁴ is cyclopropyl or cyclobutyl, and R⁴ may be optionally substituted by one or more substituents selected from halogeno, hydroxy, amino, (1-6C)alkyl, (2-6C)alkenyl, (2-6C)alkynyl, (1-

6C)alkoxy, (1-6C)alkylamino and di-[(1-6C)alkyl]amino; or a pharmaceutically-acceptable salt thereof.

Claim 9 (previously presented): The compound according to claim 1 wherein R⁴ is cyclopropyl and may be optionally substituted by one or more substituents selected from fluoro, chloro, hydroxy, methyl, ethyl, and methoxy; or a pharmaceutically-acceptable salt thereof.

Claim 10 (previously presented): The compound according to claim 1 wherein R⁴ is cyclopropyl or cyclobutyl; or a pharmaceutically-acceptable salt thereof.

Claim 11 (previously presented): The compound according to claim 1 wherein m is 1;

R¹ is halogeno, hydroxy, cyano, trifluoromethyl, trifluoromethoxy, (1-6C)alkyl, (1-6C)alkoxy, (2-6C)alkenyl, (2-6C)alkynyl, (2-6C)alkanoyl, (1-6C)alkylthio, (1-6C)alkylsulphonyl, hydroxy-(2-6C)alkoxy, amino-(2-6C)alkoxy, cyano-(2-6C)alkoxy, (1-6C)alkylamino-(2-6C)alkoxy, di-[(1-6C)alkyl]amino-(2-6C)alkoxy, (1-6C)alkoxy-(2-6C)alkoxy, di[(1-6C)alkyl]amino-(1-6C)alkyl, carbamoyl-(1-6C)alkyl, heteroaryl-(1-6C)alkyl, heteroaryl-(1-6C)alkoxy, heterocyclyl, heterocyclyl-(1-6C)alkyl, heterocyclyloxy or heterocyclyl-(1-6C)alkoxy, and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, halogeno, (1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkyl, (3-6C)cycloalkyl-(1-6C)alkoxy, (1-6C)alkoxy, (1-6C)alkoxycarbonyl, (1-6C)alkoxycarbonyl-(1-6C)alkyl, N-(1-6C)alkylcarbamoyl, N,N-di-[(1-6C)alkyl]carbamoyl, (2-6C)alkanoyl, amino, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, halogeno-(1-6C)alkyl, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl and cyano-(1-6C)alkyl, and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from halogeno, hydroxy, trifluoromethyl, oxo (1-6C)alkyl, (2-

6C)alkenyl, (2-6C)alkynyl, (3-6C)cycloalkyl, (1-6C)alkoxy, (1-6C)alkylamino, di-[(1-6C)alkyl]amino, hydroxy-(1-6C)alkyl, (1-6C)alkoxy-(1-6C)alkyl, halogeno-(1-6C)alkyl, (1-6C)alkoxycarbonyl, heteroaryl, heteroaryl-(1-6C)alkyl, heterocyclyl and heterocyclyloxy,

and wherein any heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 oxo or thioxo substituents;

R² is trifluoromethyl or methyl;

R³ is hydrogen;

R⁴ is cyclopropyl or cyclobutyl and may be optionally substituted by one or more substituents selected from fluoro, chloro, hydroxy, methyl, ethyl, and methoxy;

or a pharmaceutically-acceptable salt thereof.

Claim 12 (previously presented): The compound according to claim 1 wherein m is 1;

R¹ is fluoro, chloro, bromo, iodo, hydroxy, methoxy, ethoxy, propoxy, acetyl, methylthio, ethylthio, methylsulphonyl, ethylsulphonyl, 2-aminoethoxy, 2-amino-1-methylethoxy, 3-aminopropoxy, 2-amino-2-methylpropoxy, 2-methylaminoethoxy, 2-methylamino-1-methylethoxy, 3-ethylaminopropoxy, 2-dimethylaminoethoxy, 2-diethylaminoethoxy, 2-dimethylaminopropoxy, 2-dimethylamino-2-methylethoxy, 3-dimethylaminopropoxy, dimethylaminomethyl, diethylaminomethyl, 1-dimethylaminoethyl, 2-dimethylaminoethyl, 3-dimethylaminopropyl, carbamoylmethyl, 1-carbamoylethyl, 2-carbamoylethyl, 3-carbamoylpropyl, heteroarylmethyl, heteroarylethyl, heterocyclyl, heterocyclyloxy, heterocyclylmethoxy or 2-heterocyclylethoxy, and wherein any heteroaryl or heterocyclyl group in a R¹ substituent may optionally bear 1 or 2 substituents selected from hydroxy, fluoro, chloro, bromo, iodo, methyl, ethyl, propyl, isopropyl, cyclobutylmethyl, cyclopropylmethyl, cyclobutylmethoxy, cyclopropylmethoxy, acetyl, methoxy, ethoxy, propoxy, methoxycarbonylmethyl, ethoxycarbonylmethyl, tert-butoxycarbonylmethyl, 1-methoxycarbonylethyl, 1-ethoxycarbonylethyl, 2-methoxycarbonylethyl, 2-ethoxycarbonylethyl, 3-methoxycarbonylpropyl, 3-ethoxycarbonylpropyl, N-methylcarbamoyl, N-

ethylcarbamoyl, N-propylcarbamoyl, N,N-dimethylcarbamoyl, N-ethyl-N-methylcarbamoyl, N,N-diethylcarbamoyl, fluoromethyl, chloromethyl, bromomethyl, difluoromethyl, dichloromethyl, dibromomethyl, 2-fluoroethyl, 2-chloroethyl, 2-bromoethyl, hydroxymethyl, 2-hydroxyethyl, 1-hydroxyethyl, 3-hydroxypropyl, methoxymethyl, ethoxymethyl, 1-methoxyethyl, 2-methoxyethyl, 2-ethoxyethyl and 3-methoxypropyl, cyanomethyl, 2-cyanoethyl and 1-cyanoethyl, 3-cyanopropyl,

and wherein any of the R¹ substituents defined hereinbefore which comprises a CH₂ group which is attached to 2 carbon atoms or a CH₃ group which is attached to a carbon or nitrogen atom may optionally bear on each said CH₂ or CH₃ group one or more substituents selected from fluoro, chloro, bromo, iodo, hydroxy, trifluoromethyl, methyl, ethyl, propyl, isopropyl, tert-butyl, cyclopropyl, cyclobutyl, cyclopentyl, methoxy, ethoxy, propoxy, isopropoxy, tert-butoxy, dimethylamino, diethylamino, N-ethyl-N-methylamino, methoxymethyl, ethoxymethyl, 1-methoxyethyl, 2-methoxyethyl, 2-ethoxyethyl, 3-methoxypropyl, methoxycarbonyl, ethoxycarbonyl, propoxycarbonyl, tert-butoxycarbonyl, heteroarylmethyl, heteroarylethyl, heterocyclyl and heterocycloxy

R² is methyl;

R³ is hydrogen;

R⁴ is cyclopropyl or cyclobutyl and may be optionally substituted by methyl;

or a pharmaceutically-acceptable salt thereof.

Claim 13 (previously presented): A compound according to claim 1 selected from:-
N-cyclopropyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide,
N-cyclobutyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide,
N-cyclopropyl-4-methyl-3-[4-oxo-6-(piperidin-4-yloxy)quinazolin-3(4H)-yl]benzamide,
N-cyclopropyl-3-[6-{[1-(cyclopropylmethyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide,
N-cyclopropyl-3-[6-(1,4-diazepan-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide,
N-cyclopropyl-4-methyl-3-(4-oxo-6-piperazin-1-ylquinazolin-3(4H)-yl)benzamide,
N-cyclopropyl-4-methyl-3-[6-(4-methyl-1,4-diazepan-1-yl)-4-oxoquinazoline-3(4H)-

yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-(4-ethylpiperazin-1-yl)-4-oxoquinazoline-3(4H)-yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-[(3S)-3-methylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-[(3R)-3-methylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-[4-(2-hydroxyethyl) piperazin-1-yl]-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[4-oxo-6-(4-propylpiperazin-1-yl)quinazolin-3(4H)-yl]benzamide,
N-cyclopropyl-4-methyl-3-[4-oxo-6-(4-propyl-1,4-diazepan-1-yl)quinazolin-3(4H)-
yl]benzamide,
N-cyclopropyl-4-trifluoromethyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-(4-[tert-butylacetyl]piperazin-1-yl)-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-[(3S)-3,4-dimethylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopropyl-4-methyl-3-[6-[(3R)-3,4-dimethylpiperazin-1-yl]-4-oxoquinazoline-3(4H)-
yl]benzamide,
N-cyclopentyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-[6-[(3-hydroxy-2,2-dimethylpropyl)amino]-4-oxoquinazolin-3(4H)-yl]-4-
methylbenzamide;
N-cyclopropyl-4-methyl-3-[2-methyl-6-(4-methyl-1,4-diazepan-1-yl)-4-oxoquinazolin-3(4H)-
yl]benzamide;
N-cyclopropyl-3-[6-[4-(cyclopropylmethyl)-1,4-diazepan-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-
methylbenzamide;
N-cyclopropyl-3-[6-(4-ethyl-1,4-diazepan-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[4-(2-methoxyethyl)-1,4-diazepan-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

3-[6-[4-(2-amino-2-oxoethyl)-1,4-diazepan-1-yl]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

[4-(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)piperazin-1-yl]acetic acid;

N-cyclopropyl-3-[6-[4-(cyclopropylmethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[4-(2-ethoxyethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-2-methyl-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-(7-fluoro-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

N-cyclopropyl-3-[6-(2,3-dihydroxy-2-methylpropoxy)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-(6-isobutoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

N-cyclopropyl-3-[6-(2-hydroxy-2-methyl-3-pyrrolidin-1-ylpropoxy)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-(6-morpholin-4-yl-4-oxoquinazolin-3(4H)-yl)benzamide;

N-cyclopropyl-4-methyl-3-(4-oxo-6-thiomorpholin-4-ylquinazolin-3(4H)-yl)benzamide;

N-cyclopropyl-3-[6-(4-hydroxypiperidin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-(3-hydroxyazetidin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-(4-methyl-4-oxidopiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-[4-(methylsulfonyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[(3R,5S)-3,5-dimethylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-(4-methylpiperidin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-(4-oxo-6-piperidin-1-ylquinazolin-3(4H)-yl)benzamide;

4-methyl-N-(1-methylcyclopropyl)-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;

3-[6-[4-(cyanomethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(4-prop-2-yn-1-ylpiperazin-1-yl)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-(4-oxoquinazolin-3(4H)-yl)benzamide;

3-[6-(4-acetylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

3-[6-(4-cyclobutylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

N-cyclopropyl-3-(6-iodo-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-[(1-methylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-(6-methoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methyl-N-(1-methylcyclopropyl)benzamide;

3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methyl-N-(1-methylcyclopropyl)benzamide;

N-cyclopropyl-3-[6-[(1-ethylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[7-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[(1-isopropylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[4-(1,3-thiazol-4-ylmethyl)piperazin-1-yl]quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-{4-[(5-methylisoxazol-3-yl)methyl]piperazin-1-yl}-4-oxoquinazolin-3(4H)-yl]benzamide;

tert-butyl 3-[(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)oxy]pyrrolidine-1-carboxylate;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(pyrrolidin-3-yloxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(pyridin-2-ylmethoxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[4-(2-fluoroethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[4-(2,2-difluoroethyl)piperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-{4-[2-(tetrahydro-2H-pyran-2-yloxy)ethyl]piperazin-1-yl}quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-[(1-methylpyrrolidin-3-yl)oxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[(1-ethylpyrrolidin-3-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[[1-(cyclopropylmethyl)pyrrolidin-3-yl]oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[[1-(2-fluoroethyl)piperidin-4-yl]oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[[1-(2-methoxyethyl)piperidin-4-yl]oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[2-(dimethylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[(1-cyclopropylpiperidin-4-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[(3R)-4-ethyl-3-methylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[7-fluoro-6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[(3R)-4-isopropyl-3-methylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[(3R)-4-(cyclopropylmethyl)-3-methylpiperazin-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(2-pyrrolidin-1-ylethoxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-(2-morpholin-4-ylethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(2-piperidin-1-ylethoxy)quinazolin-3(4H)-yl]benzamide;

3-[6-(2-azetidin-1-ylethoxy)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
tert-butyl 5-(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)-2,5-diazabicyclo[2.2.1]heptane-2-carboxylate;
N-cyclopropyl-3-[6-[3-(dimethylamino)propoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-3-[6-[(1-isopropylpyrrolidin-3-yl)oxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-[6-(5-methyl-2,5-diazabicyclo[2.2.1]hept-2-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-(6-hydroxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-[4-oxo-6-(1,2,3,6-tetrahydropyridin-4-yl)quinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-[6-[2-(4-isopropylpiperazin-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-3-[6-[2-(4,4-difluoropiperidin-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-3-[6-{2-[(3R)-3-fluoropyrrolidin-1-yl]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-[4-oxo-6-[(3S)-pyrrolidin-3-yloxy]quinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-4-methyl-3-[6-[2-(1,4-oxazepan-4-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-4-methyl-3-[6-{2-[methyl(pyridin-2-ylmethyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-4-methyl-3-[4-oxo-6-[4-(2,2,2-trifluoro-1-methylethyl)piperazin-1-yl]quinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-[6-{2-[(2-methoxyethyl)(methyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-(4-oxopyrido[3,4-d]pyrimidin-3(4H)-yl)benzamide;
N-cyclopropyl-4-methyl-3-[6-[[3(3S)-1-methylpyrrolidin-3-yl]oxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-{{(3S)-1-ethylpyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{{(3S)-1-(cyclopropylmethyl)pyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{{(3S)-1-isopropylpyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-(4-oxopyrido[2,3-d]pyrimidin-3(4H)-yl)benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-{{(3R)-pyrrolidin-3-yl}oxy}quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(3-piperidin-1-ylpropoxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[2-(1H-pyrrol-1-yl)ethoxy]quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(3-pyrrolidin-1-ylpropoxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[2-(dimethylamino)-2-methylpropoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[3-(1H-pyrrol-1-yl)propoxy]quinazolin-3(4H)-yl]benzamide;

3-[6-(2-aminoethoxy)-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-{{(3R)-1-methylpyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-{{(3R)-1-ethylpyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{{(3R)-1-(cyclopropylmethyl)pyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{{(3R)-1-isopropylpyrrolidin-3-yl}oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[2-(dimethylamino)-2-oxoethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-{2-[(methylsulfonyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]benzamide;

3-[6-[2-(acetylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

N-cyclopropyl-3-(7-methoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-[3-(4-methylpiperazin-1-yl)propoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-[(1-methylpiperidin-3-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[2-(1H-imidazol-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[2-(2-oxoimidazolidin-1-yl)ethoxy]quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-[(1-methylpiperidin-2-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-[(1-methyl-1H-imidazol-2-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-{[2-(dimethylamino)ethyl]thio}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-(2-thiomorpholin-4-ylethoxy)quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-[2-(4-hydroxypiperidin-1-yl)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

3-[6-{2-[(cyclobutylmethyl)(methyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-(2-{methyl[2-(methylsulfonyl)ethyl]amino}ethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-(2-{methyl[(1-methyl-1H-pyrazol-4-yl)methyl]amino}ethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;

methyl (2E)-3-(3-{5-[(cyclopropylamino)carbonyl]-2-methylphenyl}-4-oxo-3,4-dihydroquinazolin-6-yl)acrylate;

N-cyclopropyl-3-[6-[3-(dimethylamino)prop-1-yn-1-yl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-[3-(dimethylamino)propyl]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-(1-methyl-1,2,3,6-tetrahydropyridin-4-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-(1-methylpiperidin-4-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[7-[3-(dimethylamino)propoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[7-(2-morpholin-4-ylethoxy)-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-{[1-(2-hydroxy-2-methylpropyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{[1-[(2S)-2-hydroxypropyl]piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{[1-[(2R)-2-hydroxypropyl]piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[4-oxo-6-[(2S)-pyrrolidin-2-ylmethoxy]quinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-4-methyl-3-[6-{[(2S)-1-methylpyrrolidin-2-yl]methoxy}-4-oxoquinazolin-3(4H)-yl]benzamide;

N-cyclopropyl-3-[6-{[1-(2-hydroxyethyl)piperidin-4-yl]oxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{2-[(2S)-2-(hydroxymethyl)pyrrolidin-1-yl]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{2-[(2S)-2-(methoxymethyl)pyrrolidin-1-yl]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{2-[isopropyl(methyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-3-[6-{2-[isopropyl(2-methoxyethyl)amino]ethoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;


3-[6-[2-(tert-butylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;

N-cyclopropyl-3-[6-[3-(dimethylamino)-2-methylpropoxy]-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;

N-cyclopropyl-4-methyl-3-[6-[(4-methylmorpholin-2-yl)methoxy]-4-oxoquinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-4-methyl-3-[8-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4H)-yl]benzamide;
3-[6-[2-(dimethylamino)ethoxy]-4-oxoquinazolin-3(4H)-yl]-4-methyl-N-(1-methylcyclopropyl)benzamide; .
4-methyl-N-(1-methylcyclopropyl)-3-[4-oxo-6-(2-piperidin-1-ylethoxy)quinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-(8-methoxy-4-oxoquinazolin-3(4H)-yl)-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-[4-oxo-6-[(2R)-pyrrolidin-2-ylmethoxy]quinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-4-methyl-3-[6-{{(2R)-1-methylpyrrolidin-2-yl}methoxy}-4-oxoquinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-[6-{{(2S)-1-glycoloylpyrrolidin-2-yl}methoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-4-methyl-3-[4-oxo-6-(3-thiomorpholin-4-ylpropoxy)quinazolin-3(4H)-yl]benzamide;
N-cyclopropyl-3-[6-{3-[(3R)-3-hydroxypyrrolidin-1-yl]propoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-3-[6-{3-(4-hydroxypiperidin-1-yl)propoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-3-[6-{3-[(2-methoxyethyl)(methyl)amino]propoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide;
N-cyclopropyl-3-[6-{3-[(3-furylmethyl)(methyl)amino]propoxy}-4-oxoquinazolin-3(4H)-yl]-4-methylbenzamide; and
3-[6-{3-[(cyclobutylmethyl)(methyl)amino]propoxy}-4-oxoquinazolin-3(4H)-yl]-N-cyclopropyl-4-methylbenzamide;
and pharmaceutically-acceptable salts thereof.

Claim 14 (**currently amended**): A process for preparing a compound of the Formula I according to claim 1, or pharmaceutically-acceptable salt thereof which comprises:-

(a) reacting an N-phenyl-2-aminobenzamide of the Formula II




with a carboxylic acid of the Formula III, or a reactive derivative thereof,




wherein variable groups are as defined in claim 1 and wherein any functional group in these variable groups is optionally protected, and:

- (i) removing any protecting groups; and
 - (ii) optionally forming a pharmaceutically-acceptable salt;
- (b) reacting a carboxylic acid of the Formula X or a reactive derivative thereof as defined hereinbefore,



with a amine of the Formula VI,



under amide bond forming conditions, wherein variable groups are as defined in claim 1 and wherein any functional group in these variable groups is optionally protected, and:

- (i) removing any protecting groups; and
- (ii) optionally forming a pharmaceutically-acceptable salt.

Claims 15-23 (**cancelled**).

Claim 24 (**new**): The compound *N*-cyclopropyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4*H*)-yl]benzamide or a pharmaceutically-acceptable salt thereof.

Claim 25 (**new**): The compound *N*-cyclobutyl-4-methyl-3-[6-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4*H*)-yl]benzamide or a pharmaceutically-acceptable salt thereof.

Claim 26 (**new**): The compound *N*-cyclopropyl-4-methyl-3-[4-oxo-6-(4-propylpiperazin-1-yl)quinazolin-3(4*H*)-yl]benzamide or a pharmaceutically-acceptable salt thereof.

Claim 27 (**new**): The compound *N*-cyclopropyl-4-methyl-3-[6-(4-isopropylpiperazin-1-yl)-4-oxoquinazolin-3(4*H*)-yl]benzamide or a pharmaceutically-acceptable salt thereof.

Claim 28 (**new**): The compound *N*-cyclopropyl-4-methyl-3-[7-(4-methylpiperazin-1-yl)-4-oxoquinazolin-3(4*H*)-yl]benzamide or a pharmaceutically-acceptable salt thereof.